

HC



INTERNATIONAL
TRADING (PVT) LTD

"An Associate of Centre For Handicapped (Approved Charity)
under the Inland Revenue Act No. 24 of 2017"

CATALOG



+9481 24 20 721
+9481 38 35 395



No: 228, Digana Road,
Kundasale, Sri Lanka



info@hcgroun.lk



www.hcgroun.lk

Our Vision

Become a leading provider of patient care Products and materials in the field of Prosthetics and orthotics in Sri Lanka .

Our Mission

Provide high quality products and services in the Prosthetics and orthotics market both locally and internationally . This is to be achieved by

- Continuous achievements
- Facilitating innovative and appropriate technology
- Promoting good quality assurance practice
- Promoting customer satisfaction
- Facilitating knowledge exchange

Our Values

HC international Trading (PVT) Ltd team is dedicated to the primary purpose of assisting patients to keep up utilitarian lives and will provide patient care with honor and integrity .

Discovery: Explore and bring to light new knowledge, new ideas and better ways of providing care .

Creativity: Instill our work with imagination and innovation .

Excellence: Deliver the highest quality products and services in all endeavors .

Integrity: Carry out all our work with the greatest responsibility and accountability .

Objectives

Hc International Trading (PVT) Ltd, established in **2017** as a fully own subsidiary of Center for Handicapped . The company started as a social enterprise and its prime objective was to raising more funds for the current charity activities of Center for Handicapped . As mentioned above all the profits generated through trading is fully transferred to CFH as a donation .

Operations

Main operation of the HC International Trading (PVT) Ltd is supplying prosthetic and orthotic raw materials, components, fabricated devices and mobility aids to the government hospital, government institutes, private and non-governmental physiotherapy workshops in island wide .

Our main product is SACH foot which is manufacturing by center for handicapped Along with other relevant materials used to make prosthetics devices . We are the local agent of ATP supply Switzerland, Noble china in china, Active Medical and Proactive technical orthopedics

I N D E X

Description		Page No.
 ➤	Components for Above Knee & Below Knee limb Prosthesis (ICRC)	02 
 ➤	Foot for Prosthesis	05 
 ➤	Components for Upper limb Prosthesis (ICRC)	06 
 ➤	Components for Modular System Prosthesis	08 
 ➤	Components for Orthothesis	09 
 ➤	Raw Materials for Prosthesis & Orthothesis	11 
 ➤	Machinery Tools and Equipment	14 

TRANS - FEMORAL PROSTHESIS KIT



HC Code	Description	Specification
TF 1.1	Module Trans-Femoral Alignment, Adult	PP, Olive / Terra / Beige
TF 2.1	Module Trans-Femoral Alignment, Child	PP, Olive / Terra / Beige

KNEE JOINT



HC Code	Description	Specification
KJ 1.1	Knee Joint , Adult, Lock Left & Right	Tube diam. 25mm, Olive/Terra/Beige
KJ 2.1	Knee Joint , Child, Lock Left & Right	Tube diam. 25mm, Olive/Terra/Beige

PROSTHETICS JOINT FOR KNEE-DIS-ARTICULATION



HC Code	Description	Specification
KD 1.1	Prosthetic Joint for Knee-Disarticulation	Stainless Steel

PROSTHETICS JOIN FOR HIP-DIS-ARTICULATION




HC Code	Description	Specification
HD 1.1	Prosthetic Joint for Hip-Disarticulation	Stainless Steel

TRANS - TIBIAL PROSTHESIS KIT



HC Code	Description	Specification
TT 1.1	Module Trans-Tibial Alignment, Adult	PP, Olive / Terra / Beige
TT 2.1	Module Trans-Tibial Alignment, Child	PP, Olive / Terra / Beige

TRANS - TIBIAL LONG STUMP



HC Code	Description	Specification
AD 1.1	Module Trans-Tibial Alignment Long Stump	PP, Olive / Terra / Beige

SILICON VALVE FOR PROSTHESIS SOCKET



HC Code	Description	Specification
FS 1.1	Forming Tool for Silicon Valve Seat	Aluminium
SV 1.1	Valve	Silicon
AS 1.1	Seat Valve	Aluminium
NV 1.1	Flat Valve with Tube	Rubber

FOOT FOR PROSTHESIS




HC Code	Description	Specification
FT 1.1	CFH SACH Foot - Length 12cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.2	CFH SACH Foot - Length 14cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.3	CFH SACH Foot - Length 16cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.4	CFH SACH Foot - Length 18cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.5	CFH SACH Foot - Length 19cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.6	CFH SACH Foot - Length 20cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.7	CFH SACH Foot - Length 21cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.8	CFH SACH Foot - Length 22cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.9	CFH SACH Foot - Length 23cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.10	CFH SACH Foot - Length 24cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.11	CFH SACH Foot - Length 25cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.12	CFH SACH Foot - Length 26cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.13	CFH SACH Foot - Length 27cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 1.14	CFH SACH Foot - Length 28cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 2.1	CFH Single Axis Foot - Length 23cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 2.2	CFH Single Axis Foot - Length 24cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 2.3	CFH Single Axis Foot - Length 25cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 2.4	CFH Single Axis Foot - Length 26cm Left / Right	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 3.1	CFH Symis Foot Length 23cm Left / Right (for Long Stump)	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 3.2	CFH Symis Foot Length 24cm Left / Right (for Long Stump)	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 3.3	CFH Symis Foot Length 25cm Left / Right (for Long Stump)	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 3.4	CFH Symis Foot Length 26cm Left / Right (for Long Stump)	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 3.5	CFH Symis Foot Length 27cm Left / Right (for Long Stump)	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 3.6	CFH Symis Foot Length 28cm Left / Right (for Long Stump)	Natural Rubber, Olive Brown / Terra Brown / Beige
FT 4.1	Single Axis Foot Length 20cm to 27cm Left / Right	PU foam - Beige Color
FT 4.2	SACH Foot Length 20cm to 27cm Left / Right	PU foam - Beige Color

Coding Example 01,
 Selected Item: CFH SACH Foot 12cm, Left Side, Olive Brown Color
 Code: FT 1.1/L/O
 Coding Example 02,
 Selected Item: CFH SACH Foot 14cm, Right Side, Terra Brown Color
 Code: FT 1.2/R/T

UPPER LIMB PROSTHOSIS

HC Code	Description	Specification
EB 1.1	Elbow Adult With Wrist Unit, Olive Colour	D67 x L354mm
EB 1.2	Elbow Adult With Wrist Unit, Terra Colour	D67 x L354mm
EB 1.3	Elbow Adult With Wrist Unit, Beige Colour	D67 x L354mm

PP WRIST UNIT FOR HOOK & HAND

HC Code	Description	Specification
WU 1.1	PP Wrist Unit with M10 T-nut Olive Colour	diam. 45mm
WU 1.2	PP Wrist Unit with M10 T-nut Terra Colour	diam. 45mm
WU 1.3	PP Wrist Unit with M10 T-nut Beige Colour	diam. 45mm
WU 1.4	Pan Head Framing Screw	M3 x 8mm

HOOK, WORKING RING AND HAND

HC Code	Description	Specification
HO 1.1	Hook Adult Left with Spring, Stainless Steel	M 10 thread
HO 2.1	Hook Adult Right with Spring, Stainless Steel	M 10 thread

HARNESS CABLE KIT



HC Code	Description	Specification
KH 1.1	Harness Kit, for Upper Limb Prosthesis, Cable, Hose, Connectors	All Steel Components - S.S

PROSTHESIS HANDS



HC Code	Description	Specification
HN 1.1	Hand Olive Colour, Man, Left	PU Foam
HN 2.1	Hand Olive Colour, Man, Right	PU Foam
HN 3.1	Hand Olive Colour, Women/Child, Left	PU Foam
HN 4.1	Hand Olive Colour, Women/Child, Right	PU Foam
HN 5.1	Hand Terra Colour, Man, Left	PU Foam
HN 6.1	Hand Terra Colour, Man, Right	PU Foam
HN 7.1	Hand Terra Colour, Women/Child, Left	PU Foam
HN 8.1	Hand Terra Colour, Women/Child, Right	PU Foam
HN 9.1	Hand Beige Colour, Man, Left	PU Foam
HN 10.1	Hand Beige Colour, Man, Right	PU Foam
HN 11.1	Hand Beige Colour, Women/Child, Left	PU Foam
HN 12.1	Hand Beige Colour, Women/Child, Right	PU Foam

MODULAR COMPONENT SYSTEM



HC Code	Description	Specification
AKS 1.1	AK System with SACH Foot	AL / SS
AKS 2.1	AK System with Single Axis Foot	AL / SS
BKS 1.1	BK System with SACH Foot	AL / SS
BKS 2.1	BK System with Single Axis Foot	AL / SS

KNEE JOINT FOR MODULAR SYSTEM



HC Code	Description	Specification
KJM 1.1	Single Axis Load Actuated Knee Joint	Stainless Steel, Weight 670g
KJM 2.1	Single Axis Light Weight Manual Lock Knee Joint	Aluminium, Weight 270g
KJM 3.1	Polycentric Knee Joint	Stainless Steel, Weight 925g

ANKLE JOINT FOR MODULAR SYSTEM



HC Code	Description	Specification
ANK 1.1	Single Axis Ankle Joint for Two Hole - Large	Stainless Steel, Weight 320g
ANK 2.1	Single Axis Ankle Joint for Two Hole - Small	Stainless Steel, Weight 315g

SIDE BARS FOR KNEE ORTHOTICS



HC Code	Description	Specification
DL 1.1	Orthotics Side Bar with Drop Lock, Adult 1 Pair	Stainless Steel
DL 1.2	Orthotics Side Bar with Drop Lock, Adult 1 Pair	Aluminium
DL 2.1	Orthotics Side Bar with Drop Lock, Child 1 Pair	Stainless Steel
DL 2.2	Orthotics Side Bar with Drop Lock, Child 1 Pair	Aluminium
SL 1.1	Orthotics Side Bar with Swiss Lock, Adult 1 Pair	Stainless Steel
SL 1.2	Orthotics Side Bar with Swiss Lock, Adult 1 Pair	Aluminium
SL 2.1	Orthotics Side Bar with Swiss Lock, Child 1 Pair	Stainless Steel
SL 2.2	Orthotics Side Bar with Swiss Lock, Child 1 Pair	Aluminium
OF 1.1	Orthotics Side Bar with Offset, Adult 1 Pair	Stainless Steel
OF 1.2	Orthotics Side Bar with Offset, Adult 1 Pair	Aluminium
OF 2.1	Orthotics Side Bar with Offset, Child 1 Pair	Stainless Steel
OF 2.2	Orthotics Side Bar with Offset, Child 1 Pair	Aluminium

ANKLE JOINT



HC Code	Description	Specification
FA 1.1	Free Motion Ankle Joint, Adult - 05 Pairs	Aluminium, Brass
FA 2.1	Free Motion Ankle Joint, Child - 05 Pairs	Aluminium, Brass
AF 1.1	Ankle-flexure Joint, Free Motion, Adult - 10 Pairs	Thermoplastic
AF 2.1	Ankle-flexure Joint, Free Motion, Child - 10 Pairs	Thermoplastic
AA 1.1	Ankle-flexure Joint Dorsi-flexion Assist, Adult - 10 Pairs	Thermoplastic
AA 2.1	Ankle-flexure Joint Dorsi-flexion Assist, Child - 10 Pairs	Thermoplastic


CTEV SPLINT




HC Code	Description	Specification
CT 1.1	CTEV Splint Size 01	Left / Right
CT 2.1	CTEV Splint Size 02	Left / Right
CT 3.1	CTEV Splint Size 03	Left / Right
CT 4.1	CTEV Splint Size 04	Left / Right
CT 5.1	CTEV Splint Size 05	Left / Right

EVA SHEETS

HC Code	Description	Specification
EVA 1.1	EVA Sheet 1mm Olive / Brown / Black	145cm x 100cm
EVA 2.1	EVA Sheet 2mm Olive / Brown / Black	145cm x 100cm
EVA 3.1	EVA Sheet 3mm Olive / Brown / Black	145cm x 100cm
EVA 4.1	EVA Sheet 4mm Olive / Brown / Black	145cm x 100cm
EVA 6.1	EVA Sheet 6mm Olive / Brown / Black	145cm x 100cm
EVA 8.1	EVA Sheet 8mm Olive / Brown / Black	150cm x 100cm
EVA 12.1	EVA Sheet 12mm Olive / Brown / Black	150cm x 100cm
EVA 16.1	EVA Sheet 16mm Olive / Brown / Black	150cm x 100cm
ET 1.1	Ethaflax 8mm White	150cm x 100cm
SR 1.1	Sole Rubber 6mm Black	100cm x 85cm
SR 2.1	Sole Rubber 12mm Black	100cm x 85 cm

**POLYPROPYLENE SHEET**

HC Code	Description	Specification
PP 1.1	PP Sheet 3mm Olive / Beige / White / Terra - Grade 01	100cm x 200cm
PP 1.2	PP Sheet 3mm Olive / Beige / White / Terra - Grade 02	100cm x 200cm
PP 2.1	PP Sheet 4mm Olive / Beige / White / Terra - Grade 01	100cm x 200cm
PP 2.2	PP Sheet 4mm Olive / Beige / White / Terra - Grade 02	100cm x 200cm
PP 3.1	PP Sheet 5mm Olive / Beige / White / Terra - Grade 01	100cm x 200cm
PP 3.2	PP Sheet 5mm Olive / Beige / White / Terra - Grade 02	100cm x 200cm

**PP WELDING ROD**

HC Code	Description	Specification
WR 1.1	Polypropylene Welding Rod, Olive Colour	diam. 4mm
WR 1.2	Polypropylene Welding Rod, Terra Colour	diam. 4mm

**PLASTER OF PARIS POWDER**

HC Code	Description	Specification
PO 1.1	Plaster of Paris Powder- GRADE 01	England



PLASTER OF PARIS BANDAGE

HC Code	Description	Specification
PO 2.1	POP Bandage 15cm	Length 3m
PO 3.1	POP Bandage 10cm	Length 3m

**STOCKINETTE**

HC Code	Description	Specification
ST 1.1	Stockinette Above Knee	7cm
ST 2.1	Stockinette Below Knee	10cm

**STOCKING**


HC Code	Description	Specification
NS 1.1	Stocking Medium	Nylon
NS 2.1	Stocking Large	Nylon
NS 3.1	Stocking Panty Hose	Nylon

**ADHESIVE**

HC Code	Description	Specification
MB 1.1	Multibond 364	4L Can
MB 1.2	Multibond 364	1L Can

**LEATHER**

HC Code	Description	Specification
LL 1.1	CG Leather	Natural
LL 2.1	Lining Leather	Natural

**VELCRO**

HC Code	Description	Specification
VL 1.1	Velcro Roll (Hook & Loop) 1 inch	25m / Black
VL 2.1	Velcro Roll (Hook & Loop) 1 1/2 inch	25m / Black
VL 3.1	Velcro Roll (Hook & Loop) 2 inch	25m / Black

**WEBBING**

HC Code	Description	Specification
WB 1.1	Webbing Roll 1 inch	25m / Black
WB 2.1	Webbing Roll 1 1/2 inch	25m / Black
WB 3.1	Webbing Roll 2 inch	25m / Black



BUCKLE

HC Code	Description	Specification
BU 1.1	H Buckle	1" / 1 1/2" / 2"
BU 2.1	D Ring	1" / 1 1/2" / 2"
BU 3.1	Helmet Lock	1" / 1 1/2" / 2"



BOLT

HC Code	Description	Specification
BT 1.1	Bolt & Nut 3mm to 10mm	Length 10mm-100mm
BT 2.1	Screw 3mm to 6mm	Length 10mm-100mm
BT 3.1	Allen Bolt 1mm to 10mm	Length 10mm-100mm



ALUMINUM RIVET

HC Code	Description	Specification
AR 1.1	Aluminum Rivet 1/4" to 2"	diam. 3mm-6mm
AR 2.1	Tubular Rivet 1/4" to 2"	diam. 3mm - 6mm
AR 3.1	Press Button	1000pcs Pack



ELECTRIC OVEN

HC Code	Description	Specification
OV 1.1	Electric Oven 4500 watts	100x110x40cm
OV 2.1	Roll of Teflon	1m x 10m
OV 3.1	Oven Resistance	750/220V

**BENCH GRINDER**

HC Code	Description	Specification
BG 1.1	Bench Grinder 300 watts	150mm - 200mm
BG 2.1	Spare Wheel for Bench Grinder	diam . 150-200mm

**WELDING MIRROR**

HC Code	Description	Specification
WM 1.1	Welding "MIRROR" 900watts	diam. 280mm

**HOT AIR GUN**

HC Code	Description	Specification
WH 1.1	Welding 'Hot-Jet' & Kit	230v / 1600w
WH 2.1	Nozzle, Holding	diam. 4mm
WH 3.1	Nozzle, Welding	diam. 4mm

**ANGLE / HAND GRINDER**

HC Code	Description	Specification
AG 1.1	Angle / Hand Grinder	900w - 2000w
AG 2.1	Grinding Wheel for Angle Grinder	115-230mm

**JIGSAW MACHINE**

HC Code	Description	Specification
JM 1.1	Jigsaw Machine	750w
JM 2.1	Spare Blade for Jigsaw	for Plastic

**HAND DRILL**

HC Code	Description	Specification
HG 1.1	Hand Drilling Machine	750w- 1500w
HG 2.1	Drill Bit for Hand Drill	1mm-8mm



BENCH DRILL MACHINE

HC Code	Description	Specification
BD 1.1	Bench Drill	500w 100w
BD 2.1	Drill bit for Bench Drill	3mm - 16mm

**OSCILLATING SAW**

HC Code	Description	Specification
OS 1.1	Oscillation Saw	250w - 750w
OS 2.1	Spare Blade for Oscillation Saw	Diam. 250mm

**AIR COMPRESSOR**

HC Code	Description	Specification
AC 1.1	Air Compressor 230v	100L - 300L

**SANDING MACHINE**

HC Code	Description	Specification
SM 1.1	Grinder and Sanding Belt Machine 700 watts	Bench Type
SM 2.1	Belt Sander + Long Cone Shaft 1700watts	2 Speed

**VACUUM PUMP**

HC Code	Description	Specification
VP 1.1	Vacuum Pump	750w
VP 2.1	Enveloping Suction	Small/Large

**SEWING MACHINE**

HC Code	Description	Specification
SW 1.1	Industrial Sewing Machine	750w-100w

**DUST COLLECTOR**

HC Code	Description	Specification
DC 1.1	Dust Collector	1000w-1500w



SANDING DRUM

HC Code	Description	Specification
SD 1.1	Sanding Drum Length 100mm	Diam. 90mm
SD 2.1	Sanding Drum Length 100mm	Diam. 60mm
SD 3.1	Sanding Drum with Conical Hole	Diam.72.5x200mm

**SANDING SLEEVES**

HC Code	Description	Specification
SS 1.1	Sanding Sleeves	Grit 80
SS 2.1	Sanding Sleeves	Grit 60
SS 3.1	Sanding Paper Roll	Grit 80/ Grit 60

**TOOL SET**

HC Code	Description	Specification
TS 1.1	Toolbox with Tools	Heavy Duty
TS 2.1	Toolbox without Tools	Heavy Duty

**GLOVES**

HC Code	Description	Specification
GL 1.1	Heat Protective Gloves	Pair
GL 2.1	Cotton Dotted Gloves	Pair

**HAMMER**

HC Code	Description	Specification
HM 1.1	Hammer, Hardened Steel, Wood Handle	200g-1500g
HM 2.1	Hammer, Adaptable Nylon Tip Mallet	250g-600g
HM 3.1	Hammer, Rubber Mallet,	200g-500g

**PLIERS**

HC Code	Description	Specification
PL 1.1	Plier, Universal	Small/Medium/Large
PL 2.1	Plier, Long Nose	Small/Medium/Large
PL 3.1	Plier, Side Cutting	Small/Medium/Large

**SURFORM FILE**

HC Code	Description	Specification
SF 1.1	Surform File Handle	Plastic
SF 2.1	Surform File Flat	250mm
SF 3.1	Surform File Half Round	250mm
SF 4.1	Surform File Round	250mm



KNIFE

HC Code	Description	Specification
KN 1.1	Draw Knife, Two Wood Handle	Length 250mm
KN 2.1	Knife, for Leather	Length 250mm
KN 3.1	Blade for Knife/Cutter	10 Blade Box

**SCREW DRIVERS**

HC Code	Description	Specification
SC 1.1	Screw Driver Flat	3.5mm-12mm
SC 2.1	Screw Driver Philips	n0-n3

**ALLEN KEYS**

HC Code	Description	Specification
AL 1.1	Allen Key set	1.5mm-10mm

**WRENCH / SPANNER**

HC Code	Description	Specification
WS 1.1	Wrench, open End	6mm-32mm
WS 2.1	Spanner	6mm-32mm
WS 3.1	Socket and Bit Set	8mm-30mm

**PLASTER MIXING BOWL / SPATULA**

HC Code	Description	Specification
MB 1.1	Plaster Mixing Bowl	500ml
MB 2.1	Plaster Molding Spatula	Double end

**INDELIBLE PENCIL**

HC Code	Description	Specification
IP 1.1	Indelible pencil for marking on moist surface	Blue

**MEASURING TOOLS**

HC Code	Description	Specification
MT 1.1	Caliper Gauge	1/50mm / 150mm
MT 2.1	Trans-femoral Measuring Gauge ML	Length 300mm (ICS)
MT 3.1	Goniometer	Plastic

